LLOYD

Instruction Manual

Chest Freezer

Model:LHT565DD

LIVE THE FUTURE

LLOYD ELECTRIC & ENGINEERING LIMITED

159, Okhla Industrial Estate Phase-III, New Delhi - 110020

Correspondence Address

Plot-2, Industrial Area, Kalkaji, New Delhi - 110019

Email: perfectservice@lloydmail.com

Customer Care Toll Free No.

Gujarat, Madhya Pradesh:1800-2582-583 | Punjab,Haryana,Himachal Pradesh, J&K: 1800-1377-781

Maharashtra,Chattisgarh,Goa:1800-1024-212 | South India:1800-1200-666 | Rest of India:1800-1020-666

Dear Customer

Congratulations on being the proud owner of Lloyd product. Your Lloyd product comes with Lloyd Guarantee of Quality.

Lloyd takes great pride in providing its customers with perfect products that adheres to international quality standards.

Lloyd is committed to international quality standards.

Lloyd is committed to provide the ultimate customer satisfaction as nothing brings us greater joy than having satisfied customers of Lloyd.

At Lloyd, feedback and suggestions based on your product usage experience are greatly appreciated.

Please feel free to contact us at
perfectservice@lloydmail.com

NIPUN SINGHAL
DIRECTOR

CONTENTS

- **Safety warnings**
  - Meaning of safety warning symbols ·····2
  - Related warnings for use ·····2
  - Electricity related warnings ·····2
  - Warnings related to placing items ·····3
  - Warnings related to disposal ·····3
- **Proper use of freezers**
  - Names of components ·····4
  - placement ·····5
  - Start ·····5
- **Maintenance of freezers**
  - Cleaning ·····6
  - Defrost ·····6
  - Stop using ·····6
- **Frequently asked questions**
- **Wheels Installation Instruction**

DEAR CUSTOMER:

Thank you for buying this freezer.To ensure that you get the best results from your new freezer, please take time to read through the simple instructions in this booklet.Please ensure that the packing material is disposed of in accordance with the current environmental requirements. When disposing of any freezer equipment please contact your local waste disposal department for advice on safe disposal.This appliance must be only used for its intended purpose.

Safety warnings

Meaning of safety warning symbols

Prohibition symbols	The symbols indicate prohibited matters, and those behaviors are forbidden. Non-compliance with the instructions may result in product damages or endanger the personal safety of users.
Warning symbols	The symbols indicate matters that must be followed, and those behaviors must be strictly executed in line with the operation requirements. Non-compliance with the instructions may result in product damages or endanger the personal safety of users.
Note symbols	The symbols indicate matters to pay attention to, and these behaviors shall be specially noted. Due precautions are needed or minor or moderate injuries or damages of the product will be caused.

CAUTION :

The appliance is not intended for use by young children or infirm persons without supervision.

Young children should be supervised to ensure that they do not play with the appliance.

GENERAL :
This type of refrigerator-freezer is widely used in places such as hotels ,offices, student dormitories and houses. It is mostly suitable for refrigerating and preserving foods such as fruits and beverage. It enjoys the advantages of small size, Lightweight, Low electric consumption and easy use.

This manual contains lots of important safety information which shall be observed by the users.

Safety warnings

▶ Electricity related warnings



- Do not pull the power cord when pulling the power plug of the freezer. Please firmly grasp the plug and pull out it from the socket directly.
- Do not damage the power cord under any condition so as to ensure safety use, do not use when the power cord is damaged or the plug is worn.
- Worn or damaged power cord shall be replaced in manufacture-authorized maintenance stations.



- Please use a dedicated three-hole power socket which is 10A or more and the power socket shall not be shared with other electrical appliances.
- The power cord should be firmly contacted with the socket or else fires might be caused. Please ensure that the grounding electrode of the power socket is equipped with a reliable grounding line.



- The refrigerator adopts 220~240V/50Hz AC power, voltage fluctuations over the range of 220~240V±10% will cause malfunction or even damage, so a 750 W automatic voltage regulator must be installed in concert with the AC power.
- Please turn off the valve of the leaking gas and then open the doors and windows in case of leakage of gas and other flammable gases. Do not unplug the refrigerator and other electrical appliances considering that spark may cause a fire.



- To ensure safety, it is not recommended that to place regulators, rice cookers, microwave ovens and other appliances at the top of the freezer, those recommended by the manufacture are not included. Do not use electrical appliances in the food pantry.

▶ Related warnings for use



- Authorized demolition or renovation of the refrigerator is not prohibited. It is forbidden to damage the refrigerant lines and the repair and maintenance of the refrigerator must be carried out by professionals.
- Damaged power cord must be replaced by the manufacturer, its maintenance department or related professionals in order to avoid danger.



- The surrounding of the appliances around or the embedded structure shall not be obstructed while good ventilation shall be maintained.
- The gaps between freezer doors and between doors and freezer body are small, be noted not to put your hand in these areas to prevent squeezing the finger. Please be gentle when switching off the freezer door to avoid falling articles.
- Do not pick foods or containers in the freezing chamber when the refrigerator is running, especially metal containers in order to avoid frostbite.

Safety warnings



- Do not allow children to enter or climb the freezer to prevent that children are sealed in the freezer or children are injured by the falling freezer.
- Do not spray or wash the freezer; do not put the freezer in moist places easy to be splashed with water so as not to affect the electrical insulation properties of the freezer.



- Do not place heavy objects on the top of the freezer considering that objectives may fall when switching the door, and accidental injuries might be caused.
- Please pull of the plug in case of power failure or cleaning. Do not connect the freezer to power supply within five minutes to prevent damages to the compressor due to successive starts.

▶ Warnings related to placing items



- Do not put flammable, explosive, volatile and highly corrosive items in the freezer to prevent damages to the product or fire accidents.
- Do not place flammable items near the freezer to avoid fires.



- This product is household freezers and shall be only suitable for the storage of foods. According to national standards, household freezers shall not be used for other purposes, such as storage of blood, drugs or biological products.

- Do not place items such as bottled or sealed container of fluid such as bottled beers and beverages in the freezer to prevent bursts and other losses.

▶ Warnings related to disposal

The freezer ' s R134a refrigerant and cyclopentane foam materials are combustible materials and discarded refrigerators should be isolated from fire sources and can not be burned. Please transfer the freezer to qualified professional recycling companies for processing to avoid damages to the environment or other hazards.

Please remove the door of the freezer and shelves which shall be properly placed to avoid accidents of children entering and playing in the freezer.

Proper use of freezers

Names of components



- The low temperature of freezer may keep food fresh for a long time and it is mainly used to store frozen foods and making ice.
- The freezer is suitable for storage of meat, fish, shrimp, dumplings, rice balls and other foods not to be consumed in short term.
- Chunks of meat are preferably to be divided into small pieces for easy access. Please be noted food shall be consumed within the shelf time.

⚠ The features and accessories of the freezer you bought may be not entirely consistent with the legend, please refer to the packing list.

Thermostat



- Connect the freezer to power supply and"Power " indicator (the green light) will shine."Run " indicator (the red light) will shine in operation.
- The temperature of the chamber is adjusted through the thermostat knob. The number 1, 2, 3, 4, 5, 6, 7, 8"do not mean a specific temperatures, the lower the number is, the higher the temperature inside will be and verse versa. The user can choose the right temperature zone according to their needs.
- For refrigeration, temperature control knob should be set COOLING;
  For freezing, the temperature control knob should be set FREEZING;
  For quick-frozen, the temperature control knob should be set to SUPER.

Proper use of freezers

Placement



- Before using the freezer, remove all packaging materials including bottom cushions and foam pads and tapes inside the freezer, tear off the protective film on the door and the freezer body.



- The freezer is placed in a well-ventilated indoor place; the ground shall be flat, and sturdy .



- Keep away from heat and avoid direct sunlight. Do not place the freezer in moist or watery places to prevent rust or reduction of insulating effect.



- The top space of the freezer shall be greater than 80cm, and the distances from both sides and backside shall be more than 15cm to facilitate the opening and closing and heat dissipation.
- Wipe the freezer inside and outside with warm moist rag (add a small amount of detergent in the warm water and wipe clean finally with clean water).

Start



- The freezer shall stay for 6 hours before connecting 220~240V/50Hz power when it is firstly started.
- The freezer shall run 2 to 3 hours before loading fresh or frozen foods; the freezer shall run for more than 4 hours in summer in advance considering that the ambient temperature is high.

Maintenance of freezers

Cleaning

- Dusts behind the freezer and on the ground shall be timely cleaned to improve the cooling effect and energy saving. The interior of the freezer should be cleaned regularly to avoid odor. Soft towels or sponge dipped in water and non-corrosive neutral detergents are suggested for cleaning. The freezer of shall be finally cleaned with clean water and dry cloth. Open the door for natural drying before the power is turned on.



- Do not use hard brushes, clean steel balls, wire brushes, abrasives, such as toothpastes, organic solvents (such as alcohol, acetone, banana oil, etc.), boiling water, acid or alkaline items clean refrigerator considering that this may damage the fridge surface and interior.
- Do not rinse with water so as not to affect the electrical insulation properties. Please use a dry cloth when cleaning temperature control knob and electrical components.

⚠ Please unplug the freezer for defrost and cleaning.

Defrost

- Freezer shall be manually defrosted.
  Unplug the freezer and open the freezer door, remove foods and drawers before defrosting;
  Open the outflow holes and drainage holes (and place water container at the outflow holes);
  indoor frost will naturally melt, wipe the defrost water with a dry, soft cloth. When the frost softens, an ice scraper might be used to the accelerate de-icing process.
- Please remove the food and put in a cool place when defrosting before removing accessories.

⚠ Other mechanical devices or other means shall not be used to accelerate except those recommended by the manufacturer. Do not damage the refrigerant circuit.

Stop using

Foods can be preserved for a couple of hours even in summer in case of power failure; it is recommended to reduce the frequency of opening door and do not put fresh foods into the freezer.
Please unplug the freezer left unused for a long time for cleaning. Keep the door open to avoid the bad odor.
Do not turn upside, horizontally place or vibrate the refrigerator, the carrying angle can not be greater than 45°. Please hold the door and hinge when moving.

⚠ Continuous operation is recommended when the freezer is started. Please do not move the freezer under normal circumstances so as not to affect the freezer's service life.

Frequently asked questions

The following simple issues can be handled by the user. Please call the after-sale service department if the issues are not settled.

Inoperation	Whether the freezer is plugged and connected to power; Low voltage; Whether temperature control knob is in the work area Failure power or tripping circuit
Odor	Odorous foods should closely wrapped; Whether foods are rotten; Whether the interior shall be cleaned.
Long-term operation of compressor	It is normal that freezer operates for longer time in summer when the ambient temperature is higher; Do not put too much food in the freezer at one time; Do not put foods until they are cooled; Frequent opening of freezer door. Thick frost layer (defrost is needed)
Illuminating light does not shine	Whether the freezer is connected to power, whether the indicator light is damaged.
The freezer door can not be properly closed.	The freezer door is stuck by food packages; Too much food; Tilt freezer.
Loud noises	Whether the food is leveled, whether the freezer is balanced; Whether the freezer parts are properly placed.

Warm tips:

- The freezer enclosure may emit heat during operation specially in summer, this is caused by the radiation of the condenser, and it is a normal phenomenon.
- Condensation: condensation phenomenon will be detected on the exterior surface and door seals of the freezer when the ambient humidity is large, this is a normal phenomenon, and the condensation can be wiped away with a dry towel.
- Airflow sound: Refrigerants circulating in the refrigerant lines will produce eruption of sound and grunts which is normal does not affect the cooling effect.
- Buzz: Buzz will be generated by running compressor specially when starting up or shutting down.
- Clatter: The solenoid valve or electric switch valve will clatter which is a normal phenomenon and does not affect the operation.

Wheels Installation Instruction

1、Casters screws and wheels packages in carton.

2、Wheels、caster、screwdriver、screw.



3、Put package foam aside the freezer.



4、Lean the cabinet upon the foam.(Do not keep this situation for a long time.)

5、Fix wheels with screws by screwdriver.

6、Wheels and casters are installed.



7、Remove the screw with tools.



8、Fix the screw that removed from the previous step ,then fix the universal wheel with the screw in the packing box.



9、Finished installation of wheels.

10、Make cabinet stand.(Keep the appliance standing up for more than 6h, then connect the supply power.)

11、Fix the handle on the door with screws.

12、Put each side of the handle into the slot , then push the center of the cover to fix the handle.

WARRANTY TERMS AND CONDITIONS
(ChestFreezer)

M/s. LLOYD ELECTRIC & ENGINEERING LTD. HOLDS WARRANTY OF THIS LLOYD CHEST FREEZER TO THE ORIGINAL PURCHASER TO BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP WITHIN ONE YEAR FROM THE DATE OF PURCHASE. THE WARRANTY DOES NOT COVER SHEET METAL COMPONENTS, PLASTIC COMPONENTS AND ELECTRIC BULB. THE WARRANTY ON COMPRESSOR OF THIS LLOYD CHEST FREEZERS FOR A PERIOD OF 36 MONTHS FROM THE DATE OF PURCHASE. WE SHALL REPAIR/REPLACE THE COMPRESSOR WHICH ON INSPECTION IS PROVEN DEFECTIVE BY OUR COMPANY SERVICE PERSONNEL/ AUTHORISED SALES DEALER DUE TO MANUFACTURING DEFECT.

This warranty is subject to terms and conditions as mentioned below:

1. This warranty shall be valid only for the said period of 12 months as specified above, irrespective of whether the said unit has been in use or not for any reason whatsoever , or the unit is moved from one location to another. Warranty does not cover accessories external to the equipment.
2. The warranty period specified above shall include time taken for repairs , replacements , break downs, transit time etc. No notice of expiry period of warranty will be given by the company.
3. This warranty shall stand automatically terminated in the event of the said unit being serviced, repaired, installed, de installed, re installed or otherwise attended to by any person or organization or agency or by the said purchaser himself other than the authorized representative of the company.
4. Parts of the unit replaced or repaired under the terms of this warranty are warranted only for the remaining period of the original warranty period.
5. For attending any service call under this warranty beyond the municipal limits of the locality in which the authorized representative/dealer is situated (outstation locations), all to and fro travelling and other incidental expenses as prevailing from time to time incurred in connection with the visit of the service personnel , technicians, etc shall be borne by the said purchaser and shall be payable in advance. Additionally, all expenses incurred by the authorized representative /dealer in collecting the said unit or any part thereof from such outstation locations and its return to the original location shall be borne by the said purchaser.
6. Any loss of refrigerant caused due to sabotage, improper handling or treatment , carelessness, accident, fire, flood earthquake or any natural calamity any corrosive action on the original refrigerant pipes, fittings, valves etc for whatever reasons , shall not be covered under this warranty.
7. In the event of any change in the location of the unit during the warranty period, this warranty shall become null and void unless the fact of the proposed change is communicated in writing to the authorized dealer at least seven (7) days prior to the said change. On receipt of such information the authorized dealer or any of its counterparts shall arrange for de installation of the said unit on chargeable basis. However, in the event of any damage occuring to the unit or to any of its parts during the course of its transit by the said purchaser, repair or replacement , the said unit or any part thereof damaged shall not be covered by this warranty.

8. It shall be at absolute discretion of the company to a) effect the repairs or replacement of parts whether at the site of installation or at any service centre , and b) have the job attended to either by the Company's service personnel or its authorised dealer .
9. The Company shall not in any event be liable for direct, indirect, incidental or consequential loss or damages to either the said purchaser and /or his property or any other third party.
10. The Chest Freezers is designed to operate at a range (230V +/- 10%). Any failure due to operation of the machine beyond these limits will not be covered by the above warranty.

    Customer shall ensure that a stabilizer is installed in those areas where voltage is not available within the warranty range (230V +/- 10%) . The stabilizer should be of any reputed manufacturer, tested and recommended by the Company.
11. The purchaser should preserve the original invoice for necessary verification and produce , as and when required.
12. REPLACEMENT OF PRODUCT: Company may provide equivalent model in case of replacement under warranty if same model is not available.
13. Warranty null and void if:
    i. The Chest freezer is not purchased from the authorized dealers of the company.
    ii. The Service Centre copy of warranty card not received within **7** days of date of purchase the nearest Authorised Service Centre.
    iii. Any damage is caused by accident , mishandling, tampering with installation, or negligence in following instructions of the user manual issued by Company.
    iv. Any damage is caused by improper electrical circuit outside the unit or by any defective electrical supply.
    v. At any time, during the warranty period if any part of the unit tampered with, altered, repaired or serviced any unauthorized person, not being the authorized representative of the company or its authorized dealers .
    vi. The serial number of the unit or any part thereof is damaged , defaced, altered, obliterated , or tampered with or removal for any reason whatsoever .
    viii. The unit is moved by unauthorised means from its original place of installation or re-installation.
14. None of the employees and /or Authorized Dealers of the Company have any authority whatsoever to vary the terms and conditions of this warranty.
15. This warranty shall be deemed to have been issued at **Delhi** , and is subject to the jurisdiction of courts of **Delhi**

Serial No.

LLOYD ELECTRIC & ENGINEERING LTD.
Warranty Registration Card (ChestFreezer)
Service Centre Copy

Customer Details

Title: Mr Ms Mrs M/s
Name:
Residence Address:
Dist: Pin:
State: Occupation:
Tel:(Code) Res: (Code) Fax:
Mobile No: Email:

Product Details - Chest Freezer

Model No:
Serial No
Please Refer Sticker On Back Cover Of Your Product
Purchase Date Day Month Year
Bill No.

Dealer's Name & Address

Signature

I Accept The Terms And Conditions of The Warranty

Customer Signature

Thank you for selecting a World Class product and we assure you that it will perform as per your expectations

We thank you for taking your time to complete this form. All Information Provided by You will be Kept Confidential.
(Please Fill In, Tear off, Fold and Mail this form to Reach us within 10 days of the Product Purchase.)
We welcome your Valuable Suggestions, if any, to Improve our Products and Services :

FOR OFFICE USE ONLY

Customer Code:
Branch:

Note: Company Will Not Be Responsible For The Loss Of This Form During Transit.

LLOYD ELECTRIC & ENGINEERING LTD.

Serial No.

LLOYD ELECTRIC & ENGINEERING LTD.
Warranty Registration Card (ChestFreezer)
Customer Copy

Customer Details

Title: Mr Ms Mrs M/s
Name:
Residence Address:
Dist: Pin:
State: Occupation:
Tel:(Code) Res: (Code) Fax:
Mobile No: Email:

Product Details - Chest Freezer

Model No:
Serial No
Please Refer Sticker On Back Cover Of Your Product
Purchase Date Day Month Year
Bill No.

Dealer's Name & Address

Signature

I Accept The Terms And Conditions of The Warranty

Customer Signature

Thank you for selecting a World Class product and we assure you that it will perform as per your expectations

We thank you for taking your time to complete this form. All Information Provided by You will be Kept Confidential.
(Please Fill In, Tear off, Fold and Mail this form to Reach us within 10 days of the Product Purchase.)
We welcome your Valuable Suggestions, if any, to Improve our Products and Services :

FOR OFFICE USE ONLY

Customer Code:
Branch:

Note: Company Will Not Be Responsible For The Loss Of This Form During Transit.

LLOYD ELECTRIC & ENGINEERING LTD.

LIVE THE FUTURE

LLOYD ELECTRIC & ENGINEERING LTD.
Plot No.2, Kalkaji Industrial Area, New Delhi-110019
Website: www.mylloyd.com
Customer Care Toll Free No.: 1800-1020-666

LIVE THE FUTURE

LLOYD ELECTRIC & ENGINEERING LTD.
Plot No.2, Kalkaji Industrial Area, New Delhi-110019
Website: www.mylloyd.com
Customer Care Toll Free No.: 1800-1020-666